

BUSSOLA GUIDA PUNZONI

GUIDE BUSHES

CODICE / Item no.


SFB2

Materiale: Acciaio speciale
Material: Special steel

Esecuzione: Temperata
in superficie, rinvenuta e
rettificata

Execution: Temperate surface,
tempered and ground

Durezza: Rc 58 ÷ 62
Hardness: Rc 58 ÷ 62



Bussola guida punzoni simile a DIN 9845

D2	Progressione	D1	R	L1 ^{+0,5}	
1,0	0,10	5	1,0	9	
1,1...2,0		6			
2,1...3,0		7		12	
3,1...4,0		8			
4,1...5,0		10	1,5	16	
5,1...6,0		12			
6,1...8,0		15		20	
8,1...10,0		18			
10,1...12,0		22		2,0	28
12,1...15,0		26			
15,5...18,0	0,50	30	36		

ESEMPIO DI ORDINAZIONE SFB2 D2 x D1 x L1
ORDERING EXAMPLE SFB2 D2 x D1 x L1

BUSSOLA GUIDA PUNZONI

GUIDE BUSHES

CODICE / Item no.


SFBISO

Materiale: Acciaio speciale
Material: Special steel

Esecuzione: Temperata
in superficie, rinvenuta e
rettificata

Execution: Temperate surface,
tempered and ground

Durezza: Rc 58 ÷ 62
Hardness: Rc 58 ÷ 62



Bussola guida punzoni simile a ISO 8978

D2	Progressione	D1	R	L1 ^{+0,5}
1,0 ... 2,4	0,10	5	1,0	8
1,6 ... 3,0		6		
2,0 ... 3,5		8	1,5	12,5
3,0 ... 5,0		10		
4,0 ... 7,2		13	2,0	16
6,0 ... 8,8		16		
7,3 ... 11,3		20		
11,0 ... 16,6		25	2,5	20
15,0 ... 20,0		32		
18,0 ... 27,0		40	4,0	25
26,0 ... 36,0	0,50	50		
				40

ESEMPIO DI ORDINAZIONE SFBISO D2 x D1 x L1
ORDERING EXAMPLE SFBISO D2 x D1 x L1